

In re Patent Application of  
**RAYNOR**  
Serial No. Not Yet Assigned  
Filed: Herewith

---

REMARKS

Attached hereto are two (2) sheets of replacement drawings in which FIGS. 1-2 are being modified to remove extraneous markings therefrom.

It is believed that all of the claims are patentable over the prior art. For better readability and the Examiner's convenience, the newly submitted claims differ from the translated counterpart claims which are being canceled. The newly submitted claims do not represent changes or amendments that narrow the claim scope for any reason related to the statutory requirements for patentability. Accordingly, after the Examiner completes a thorough examination and finds the claims patentable, a Notice of Allowance is respectfully requested in due course. Should the Examiner determine any minor informalities that need to be addressed, he is encouraged to contact the undersigned attorney at the telephone number below.

Respectfully submitted,



---

MICHAEL W. TAYLOR  
Reg. No. 43,182  
Allen, Dyer, Doppelt, Milbrath  
& Gilchrist, P.A.  
255 S. Orange Avenue, Suite 1401  
Post Office Box 3791  
Orlando, Florida 32802  
407-841-2330  
407-841-2343 fax  
Attorneys for Applicants

In re Patent Application of  
RAYNOR  
Serial No. Not Yet Assigned  
Filed: Herewith

---

In the Drawings:

Attached are two (2) replacement drawing sheets. The changes made to the drawings are explained in the remarks section below.